Model name	Personal Air Purifier Pendant Type	
Model No.	KL-P02 (White / Black)	
Dimensions	Body : Diameter 32mm (1.26in) ×Height 115mm (4.53in)	
Weight	Approx. 80g / 0.18lb (main body only)	*1 Select a voltage DC5V and current 1A compatible model
Rated Voltage*1	DC5V	when using an AC adapter. *2 The charging time and continuous
Power source	Rechargeable lithium-ion battery (2200mAh)	use time of rechargeable batteries depends on the operating environment and battery condition.
Charging time*2	Approx. 5 hours	Repeated use of rechargeable batteries will gradually shorten the time they can be used.
Operating time*2	Approx. 10 hours (fully charged)	■ Open price There are no setretail prices.
Operating temperature range	0°C (32°F) ~40°C (104°F)	For the price, please contact your dealer.



waterproof standards

Drip-proof and

2 Colors to choose from

- This product is not a medical equipment.
- . The effect is not tested for all viruses, bacteria, and odors.

Not supported

. For product improvement, we may change the specifications and/or the appearance without prior notice. In addition, the color of the actual product may vary from the colors shown in this brochure.

For inquiry of this brochure, please

contact the nearest retailer.

. Some products shown in this brochure may be out of stock. Please check it with your local retailer for availability. The contents of this brochure are as of April 2022.

Kaltech Corporation

3-3-7 Bakuroumachi, Chuo-ku, Osaka city, Osaka 541-0059 www.kaltec.co.jp



Equipped with Kaltech's Photocatalyst Technology — Personal Air Purifier

Enjoy the clean air.









MYAIR

Kaltech's unique photocatalyst technology will reduce a variety of odors, delivering purified air around your face.

MY AIR is always there to support comfortable breathing.

Personal Air purifier

MYAIR

Filters pollen by 97% Shour Continuous operation MAX Maintenance

(image*)

*Images show the air flow of clean air surrounding the face and is not designed to purify air in daily space.

Filters pollen

Pollen filter firmly blocks pollen

The product is preinstalled with a photocatalytic "pollen" filter.

It can filter approximately 80% of pollen contained in the air.





Preinstalled Photocatalytic Pollen Filter

Pollen collected by the Pollen Filter

MAX Continuous operation

Charge 5 hours and will operate

continuously for approx. 10 hours!

At places where people gather







Meeting

Public meals

Connect the inclued USB cable to an AC adapter or your computer to charage.

[M Y A I R Air Flow]



Easy Maintenance

No filter replacement

Simply soak and clean, the filter performance regenetates

※ Recommend to clean the air filter once every two to three months.

Remove the filter

Loosen the screw on the back of the body with a Phillips-head screwdriver to open the cover and remove the photocatalyst filter.



STEP Soak and clean

Place in hot water around 80°C for approx. 15 minutes.

[Caution]


•Do not scrub the filter with a brush.
•Be careful of hot water.





0 3 Dry Naturally

Dry enough until moisture evaporates under the sun



[2 ways to use]

Find your favorite usage that matches the scene. It delivers clean air, anywhere, anytime.






Clip

What is "Photocatalyst Technology"?

When the photocatalyst filter is irradiated with light, it acquires a strong oxidizing power.

By using this strong oxidizing power odors in the air

By using this strong oxidizing power, odors in the air can be reduced.



What is the Secret Ingredient of Kaltech's unique photocatalyst?

Photocatalysts (secret ingredient) is the source of Kaltech's competitiveness.

By applying our unique ingenuity to titanium oxide(Tio2), the main material of photocatalysts, we have improved the decomposition performance of photocatalysts.







Photocatalytic pollen filter coated with the "Secret ingredient". Filteres pollen by 80% (According to our research)

